Brain Research Bulletin, Vol. 10, 1983. © Ankho International. Printed in the U.S.A.

BRAIN RESEARCH BULLETIN

Index to

VOLUME 10

Brain Research Bulletin, Vol. 10, 1983. © Ankho International. Printed in the U.S.A.

VOLUME 10 1983

SUBJECT INDEX

ACTH$_{1-24}$, 399
  anxiolytics
  bombesin
  diazepam
  grooming
  meprobamate
  novel environment
Acetylcholinesterase
  choline acetyltransferase, 365
  cholinergic projections, 365
  CNS, 589
  cortex, 365
  hippocampus, 365
  morphine tolerance, 589
  nucleus tractus diagonalis, 365
  thalamus, 589
  withdrawal, 589
Acetylcholine synthesis, 437
  cat
  caudate nucleus
  dopamine
  electrical stimulation
  substantia nigra
Adrenal, 559
  circadian rhythms
  corticosterone
  heterophasic sequential incubation
  isophasic sequential incubation
  pineal
  pituitary
β-Adrenergic agonists, 327
  angiotensin II
  blood pressure
  drinking
  heart rate
  isoproterenol
  urine output
Adrenergic binding sites, 159
  cerebral cortex
  estrogen
  photoperiod
  progesterone
  sheep
Age differences, 305
  body temperature
  hyperthermia
  hypothermia
  morphine
  opiates
  squirrel monkey
Aging, 847
  melanin
  melanocytes
  neuromelanin
Amacrine cells, 97
  cell differentiation
  chicks
  dopaminergic neurons
  morphology
  retina
Ambient temperature, 661
  body temperature
  neurotensin
  thermoregulation
Amino acid neurotransmitters, 421
  aspartic acid
  GABA
  glutamic acid
  glycine
  nucleus dorsomedialis thalamus-prefrontal cortex pathway
Amino acids
  cat, 15
  intestinal infusion, 15
  lateral hypothalamus, 15
  microdissection, 415
  neurotransmitters, 415
  satiety, 15
  single unit activity, 15
  spinal cord, 415
  ventromedial hypothalamus, 15
Amino acids, excitatory, 47
  aspartate
  glutamate
  hippocampus
  neuronal degeneration
  striatum
Amygdala, 607
  basolateral limbic circuit
  frontal cortex
  horseradish peroxidase
  thalamus
Analgesia, 407
  bradykinin
  pain
  rabbits
  subnucleus reticularis dorsalis
  tooth pulp
  trigeminal subnucleus candalis
Anatomy, 171
  axonal pathways
  monoamine distribution
  primate brain
  rhesus monkeys
  squirrel monkeys
  stump-tail monkeys
Anesthesia, 825
  chloropent
  evoked potentials
  hypothermia
Angiotensin II
  β-adrenergic agonists, 327
  barosensitive neurons, 357
  blood pressure, 327, 357
  drinking, 121, 327, 357
  heart rate, 327
  iontophoresis, 357
  isoproterenol, 121, 327
  subfornical organ, 357
  tolazoline, 121
  urine output, 327
  yohimbine, 121
Angiotensins, 295
  binding sites
  structure activity relationships
  synaptosomes
Angiotensinogen, 163
  antidiuretic hormone
  Brattleboro rats
Anterior pretectal nucleus, 517
  autoradiography
  cats
  cerebral projections
  mesodiencephalic junction
  motor cortex
  nucleus of Darkschewitsch
  pericruciate cortex
  posterior pretectal nucleus
Anterograde tracing, 715
  horseradish peroxidase
  retinohypothalamic tract
  ring dove
  suprachiasmatic nucleus
Antidiuretic hormone, 163
  angiotensinogen
  Brattleboro rats
Antidromic activation, 811
  conduction velocity
  nervous system
  parasympathetic system
  salivatory neurons
Anxiolytics, 399
  ACTH$_{1-24}$
  bombesin
  diazepam
  grooming
  meprobamate
  novel environment
Apomorphine, 425
  dopamine sensitivity
  estrogen
  ^{3}H-spiroperidol binding
  striatum
Apparatus
  brain slicer, 853
  dialysis cannula, 567
  head-holder, 723, 859
  in vivo electrode monitor, 315
  knife, retractable, 865
  modified electrode, 861
  nanoliter syringe, 403
  temperature controller, 713
Ascorbic acid, 861
  catecholamines
  DOPAC
  in vivo electrochemistry
  modified electrode
Aspartate, 47
  amino acids, excitatory
  glutamate
  hippocampus
  neuronal degeneration
  striatum
Aspartic acid, 421
  amino acid neurotransmitters
  GABA
  glutamic acid
  glycine
  nucleus dorsomedialis thalamus-prefrontal cortex pathway
Association fiber projection, 83
  cat

cortico-cortical projection
insular cortex
olfactory system
orbital gyrus
piriform cortex
Autoradiography
anterior pretectal nucleus, 517
cats, 517
cerebral projections, 517
mesodiencephalic junction, 517
mesencephalic locomotor region, 63
motor cortex, 517
nucleus of Darkschewitsch, 517
pericruciate cortex, 517
posterior pretectal nucleus, 517
retrograde fluorescence labeling, 63
Axonal branching, 529
retrograde double labeling
squirrel monkeys
substantia nigra pars reticulata
Axonal pathways, 171
anatomy
monoamine distribution
primate brain
rhesus monkeys
squirrel monkeys
stump-tail monkeys

Barosensitive neurons, 357
angiotensin II
blood pressure
drinking
iontophoresis
subfornical organ
Basal forebrain, 775
horseradish peroxidase
islands of Calleja
Basolateral limbic circuit, 607
amygdala
frontal cortex
horseradish peroxidase
thalamus
Bed nucleus, stria terminalis, 111
Golgi technique
morphology
Benzidine dihydrochloride, 551
dorsal root ganglia
electron microscopy
glucose oxidase
horseradish peroxide
light microscopy
neuroanatomical techniques
sciatic nerve transection
spinal cord
ultrastructure
Benzodiazepine receptors, 301
[^{3}H]-flunitrazepam binding
GABA
trout brain
Bile reflux, 441
bile secretion
chromodacryorrhea
gastric ulceration
lesions, lateral hypothalamus
salivation
Bile secretion, 441
bile reflux
chromodacryorrhea
gastric ulceration
lesions, lateral hypothalamus
salivation
Binding sites, 295
angiotensins
structure activity relationships
synaptosomes

Bioactive FSH releasing factor, 623
carboxymethylcellulose chromatography
follicle stimulating hormone
luteinizing hormone releasing hormone
radioimmunoassay
Steelman-Pohley bioassay
Blood pressure
β-adrenergic agonists, 327
angiotensin II, 327, 357
barosensitive neurons, 357
drinking, 327, 357
heart rate, 327
iontophoresis, 357
isoproterenol, 327
subfornical organ, 357
urine output, 327
Body temperature
age differences, 305
ambient temp-rature, 661
hyperthermia, 305
hypothermia, 305
morphine, 305
neurotensin, 661
opiates, 305
squirrel monkey, 305
thermoregulation, 661
Bombesin, 399
$ACTH_{1-24}$
anxiolytics
diazepam
grooming
meprobamate
novel environment
Bovine pancreatic polypeptide (BPP), 373
cerebral arteries
immunocytochemistry
Bradykinin, 407
analgesia
pain
rabbits
subnucleus reticularis dorsalis
tooth pulp
trigeminal subnucleus candalis
Brain
accessory abducens region, 747
amygdala, 63, 365, 487, 589, 607, 639, 775
amygdala central nucleus, 833
amygdaloid nuclei, 83
antedorsal locus coeruleus, 57
anterior commissure, 411
arcuate nucleus, 171
basal forebrain, 775
basal ganglia, 529
bed nucleus, stria terminalis, 111
brain stem, 127, 171, 747, 765
caudal encephalon, 171
caudal spinal trigeminal nucleus, 583
caudate nucleus, 171, 385, 437, 583
central gray, 63, 127, 171, 653
central nervous system, 547, 589, 631
cerebellar nuclei, 747
cerebellum, 127, 597, 667, 795
cerebral arteries, 373
cerebral cortex, 159
cerebral ventricle, 523
cerebrospinal fluid, 395
cingulate cortex, 171, 365, 429, 607
cingulum bundle, 445
colliculi, 127
cortex, 395, 653
cortex, sensorimotor, 287
cuneiform nucleus, 63
dentate gyrus, 365

diagonal band, 429
diencephalon, 385
dorsal brachium conjunctivum, 57
dorsal hippocampus, 445
dorsal horn, 727
dorsal motor nucleus of the vagus, 345
dorsal root ganglia, 551
dorsolateral pons, 747
entopeduncular nucleus, 63, 73
Forel's field H, 775
fornix-fimbria, 445
frontal cortex, 171, 365, 607
frontal neocortex, 459
hippocampus, 33, 47, 137, 333, 365, 675, 699, 735
hypothalamic nuclei, 653
hypothalamus, 63, 163, 353, 391, 395, 489, 559, 623, 637. 647, 715, 775, 865
hypothalamus, paraventricular, 321
inferior thalamic peduncle, 385
insular cortex, 83, 805
intermedial gray, 415
internal capsule, 171
lateral central gray, 57
lateral cerebral ventricle, 305
lateral geniculate nucleus, 719
lateral habenula, 775
lateral hypothalamus, 15, 171, 309, 441
lateral mammillary bodies, 163
lateral olfactory tract, nucleus, 487
lateral preoptic area, 163
lateral septum, 309
lateral ventral tegmental area, 171
limbic forebrain, 171, 639
locus coeruleus, 63, 171, 453, 795
magnocellular dorsal nucleus, 309
massa intermedia/thalamus, 385
medial basal hypothalamus, 23
medial forebrain bundle, 171, 459
medial habenula, 27
medial prefrontal cortex, 421
medial preoptic area, 9, 147
median eminence, 171, 539
median raphe nucleus, 445
mesencephalic locomotor region, 57, 63, 73
mesencephalic trigeminal root, 57, 63
mesencephalon, 573
mesodiencephalic junction, 517
midbrain, 653
midbrain central gray, 489
midbrain tegmentum, 529
motor cortex, 517
neocortex, 155
neocortex hypocampus, 589
nigroneostriatum, 539
nucleus accumbens, 505
nucleus ambiguus, 345
nucleus of Darkschewitsch, 517
nucleus dorsolateralis anterior thalami pars lateralis, 53
nucleus ectomamillaris, 53
nucleus geniculatis lateralis pars ventralis, 53
nucleus lateralis anterior thalami, 53
ventralis, 53
nucleus lentiformis mesencephali pars magnocellularis, 53
nucleus locus coeruleus, 127
nucleus tegmenti pedunculopontinus, 57, 63
nucleus tractus diagonalis, 365
nucleus tractus solitarius, 433, 481
occipital cortex, 365

occipital lobe, 33
olfactory cortex, 487
olfactory tubercle, 775
orbital gyrus, 83
paraventricular nucleus, 647
perforant path, 675, 699
periamygdaloid cortex, 775
periaqueductal gray, 163
pericruciate cortex, 517
perirhinal cortex, 805
pineal gland, 27, 559
piriform cortex, 83, 775
pituitary, 559
pons, 573, 765
pons-medulla, 171, 459
pontine gigantocellular tegmentum, 127
precruciate cortex, 437
prefrontal cortex, 805
prelimbic area, 83
preoptic area, 39, 411, 639
preoptic-septal neurons, 489
pretectal nuclei, 517
Probst's tract, 63
Purkinje cells, 795
putamen, 171
raphe neurons, 459
raphe nucleus, 171, 653
red nucleus, 287
rhinal sulcus, 83
septum, 589, 775
solitary tract, 171
spinal cord, 171, 415, 555
striato pallidus, 775
striatum, 47, 425, 539, 861
subfornical organ, 357
subnucleus reticularis dorsalis, 407
substantia nigra, 57, 63, 163, 171, 385, 437, 847
substantia nigra pars reticulata, 529
subthalamic nucleus, 287
sulcal prefrontal cortex, 421
superior cervical ganglion, 27
superior colliculus, 453, 529, 583, 719
suprachiasmatic nuclei, 639, 647, 715
supramammillary complex, 775
supratrigeminal neurons, 747
supratrigeminal region, 765
telencephalon, 459
thalamic nuclei, 529
thalamus, 63, 421, 429, 607
trigeminal nucleus, 583, 765
trigeminal subnucleus caudalis, 407
ventral anterior horn, 631
ventral gray, 415
ventral pallidum, 775
ventral tegmentum, 775
ventromedial hypothalamus, 15
vestibular area, 127
Brain, human fetus, 395
catecholamine concentrations
indoleamine concentrations
testosterone levels
Brain proteins, 597
DNA
glial fibrillary acid protein
immunofluorescence
immunohistochemistry
in situ hybridization
RNA
Brain slicer, 853
constant perfusion
extracellular recording
intracellular recording
Brattleboro rats, 163
angiotensinogen
antidiuretic hormone

Cat
acetylcholine synthesis, 437
amino acids, 15
anterior pretectal nucleus, 517
association fiber projection, 83
autoradiography, 517
caudate nucleus, 437
central nervous system, 653
cerebral projections, 517
choline acetyltransferase, 287
chronic administration, 631
conditioning, classical, 505
cortico-cortical projection, 83
diisopropylfluorophosphate, 631
dopamine, 437
dorsal horn, 727
electrical stimulation, 437, 505
esophagus, 1
glutamate decarboxylase, 287
glutamate uptake, 287
hamsters, 583
heart rate, 505
horseradish peroxidase, 583
insular cortex, 83
intestinal infusion, 15
lateral hypothalamus, 15
leg flexion, 505
lesions, electrolytic, 505
lesions, nucleus accumbens, 505
lesions, sensorimotor cortex, 287
lower esophageal sphincter, 1
mesodiencephalic junction, 517
morphine, 727
motor cortex, 517
naloxone, 727
nociception, 727
nucleus of Darkschewitsch, 517
olfactory system, 83
orbital gyrus, 83
PAP immunohistochemistry, 653
pericruciate cortex, 517
piriform cortex, 83
posterior pretectal nucleus, 517
respiration, 505
satiety, 15
sensory neurophysiology, 727
single unit activity, 15
somatosensation, 583
species differences, 583
spinal cord, 631, 727
splanchic mechanorectpors, 1
substantia nigra, 437
substance P, 727
superior colliculus, 583
sympathetic afferent fibers, 1
vasoactive intestinal polypeptide, 653
ventral anterior horn, 631
ventromedial hypothalamus, 15
vocalization, 505
Catecholamines
ascorbic acid, 861
DOPAC, 861
histofluorescence, 321
6-hydroxydopamine, 155
hyperphagia, 321
hypothalamus, paraventricular, 321
in vivo electrochemistry, 861
knife cuts, parasagittal, 321
modified electrode, 861
neocortex, 155
noradrenergic binding sites, 155
obesity, 321
prazosin, 155
Catecholamine concentrations, 395
brain, human fetus
indoleamine concentrations
testosterone levels
Catecholamine fluorescence, 27
habenula
lesions, septum
pineal gland
sympathetic nervous system
Catecholaminergic innervation, 481
fluorescence histochemistry
knife cuts
lesions, 6-OHDA
nucleus tractus solitarius
Caudal neurosecretory system, 89
electron microscopy
ultrastructure
Caudate nucleus, 437
acetylcholine synthesis
cat
dopamine
electrical stimulation
substantia nigra
Cell differentiation, 97
amacrine cells
chicks
dopaminergic neurons
morphology
retina
Central nervous system, 653
cats
PAP immunohistochemistry
vasoactive intestinal polypeptide
Cerebellum
insulin, 667
locus coeruleus, 795
off-beam inhibition, 795
postnatal exposure, 667
serum-free culture medium, 667
stimulation, locus coeruleus, 795
Cerebral arteries, 373
bovine pancreatic polypeptide (BPP)
immunocytochemistry
Cerebral cortex, 159
adrenergic binding sites
estrogen
photoperiod
progesterone
sheep
Cerebral projections, 517
anterior pretectal nucleus
autoradiography
cats
mesodiencephalic junction
motor cortex
nucleus of Darkschewitsch
pericruciate cortex
posterior pretectal nucleus
Cerebral ventricle, 523
endorphins
macrophages
opiate peptides
supraependymal cells
Cervical vagus, 345
dog
dorsal motor nucleus of the vagus
horseradish peroxidase
nodose ganglion
nucleus ambiguus
Chicks, 97
amacrine cells
cell differentiation
dopaminergic neurons
morphology

retina
Chloropent, 825
anesthesia
evoked potentials
hypothermia
Carboxymethylcellulose chromatography, 623
bioactive FSH releasing factor
follicle stimulating hormone
luteinizing hormone releasing hormone
radioimmunoassay
Steelman-Pohley bioassay
Choline acetyltransferase
acetylcholinesterase, 365
cat, 287
cholinergic innervation, 429
cholinergic projections, 365
cingulate cortex, 429
cortex, 365
glutamate decarboxylase, 287
glutamate uptake, 287
hippocampus, 365
lesions, n. diagonal band, 429
lesions, sensorimotor cortex, 287
lesions, thalamus, 429
nucleus tractus diagonalis, 365
nucleus tractus solitarius, 433
vagal afferent nerves, 433
Cholinergic innervation, 429
choline acetyltransferase
cingulate cortex
lesions, n. diagonal band
lesions, thalamus
Cholinergic projections, 365
acetylcholinesterase
choline acetyltransferase
cortex
hippocampus
nucleus tractus diagonalis
Chronic administration, 631
cats
diisopropylfluorophosphate
spinal cord
ventral anterior horn
Chronic brain stimulation, 573
circling behavior
collision test
mesencephalon
moveable electrode
pons
Chronic implants, 859
headholder
stereotaxic instruments
Chronic implants, male rats, 411
knife cuts, anterior commissure
preoptic area
prolactin
Chronic neural recordings, 39
preoptic area
rabbits
thermoregulation
thermosensitive neurons
Chronodacryorrhea, 441
bile reflux
bile secretion
gastric ulceration
lesions, lateral hypothalamus
salivation
Chronoamperometry, 315
electrocellular neurochemical detection
in vivo electrode monitor
primates
voltammetry
Chymotrypsin, 103
compound action potential
dog
manganese
middle cervical ganglion
sympathetic neurons
synaptic transmission
Cingulate cortex, 429
choline acetyltransferase
cholinergic innervation
lesions, n. diagonal band
lesions, thalamus
Circadian rhythms
adrenal, 559
corticosterone, 559
heterophasic sequential incubation, 559
hypothalamus, 647
isophasic sequential incubation, 559
lesions, paraventricular nucleus, 647
pineal, 559
pineal circuit, 647
pituitary, 559
spinal cord, 647
suprachiasmatic nucleus, 647
Circling behavior, 573
chronic brain stimulation
collision test
mesencephalon
moveable electrode
pons
Classical conditioning
horseradish peroxidase, 747
multiple-unit activity, 765
nictitating membrane response, 747, 765
rabbits, 747, 765
stimulation, electrical, 765
CNS, 589
acetylcholinesterase
morphine tolerance
thalamus
withdrawal
Cobalt iontophoresis, 53
horseradish peroxidase
ipsilateral fibers
Japanese quail
retinal projections
Collision test, 573
chronic brain stimulation
circling behavior
mesencephalon
moveable electrode
pons
Compound action potential, 103
chymotrypsin
dog
manganese
middle cervical ganglion
sympathetic neurons
synaptic transmission
Conditioning, classical, 505
cats
electrical stimulation
heart rate
leg flexion
lesions, electrolytic
lesions, nucleus accumbens
respiration
vocalization
Conduction velocity, 811
antidromic activation
nervous system
parasympathetic system
salivatory neurons
Constant perfusion, 853
brain slicer
extracellular recording
intracellular recording
Cortex, 365
acetylcholinesterase
choline acetyltransferase
cholinergic projections
hippocampus
nucleus tractus diagonalis
Cortico-cortical projection, 83
association fiber projection
cat
insular cortex
olfactory system
orbital gyrus
piriform cortex
Corticosterone, 559
adrenal
circadian rhythms
heterophasic sequential incubation
isophasic sequential incubation
pineal
pituitary
Cytoarchitecture, 487
Golgi technique
lateral olfactory tract, nucleus
olfactory cortex

Diabetes neuropathy, 377
electron microscopy
insulin treatment neuropathy
morphometrics
peripheral nerve
teased fiber profiles
Dialysis cannula, 567
high performance liquid chromatography
push-pull perfusion
Diazepam, 399
$ACTH_{1-24}$
anxiolytics
bombesin
grooming
meprobamate
novel environment
Diencephalon, 385
double labeling
histofluorescence
horseradish peroxidase
interhemispheric nigrostriatal projections
monoaminergic neurons
Diisopropylfluorophosphate, 631
cats
chronic administration
spinal cord
ventral anterior horn
DNA, 597
brain proteins
glial fibrillary acid protein
immunofluorescence
immunohistochemistry
in situ hybridization
RNA
Dog
cervical vagus, 345
chymtrypsin, 103
compound action potential, 103
dorsal motor nucleus of the vagus, 345
horseradish peroxidase, 345
manganese, 103
middle cervical ganglion, 103

nodose ganglion, 345
nucleus ambiguus, 345
sympathetic neruons, 103
synaptic transmission, 103
DOPAC, 861
ascorbic acid
catecholamines
in vivo electrochemistry
modified elec'rode
Dopamine, 437
acetylcholine synthesis
cat
caudate nucleus
electrical stimulation
substantia nigra
Dopamine sensitivity, 425
apomorphine
estrogen
^{3}H-spiroperidol binding
striatum
Dopamine synthesis, 539
haloperidol
median eminence
prolactin antiserum
striatum
Dopaminergic neurons, 97
amacrine cells
cell differentiation
chicks
morphology
retina
Dopaminergic system, 23
medial basal hypothalamus
monosodium glutamate
prolactin release
stress, ether
Dorsal horn, 727
cats
morphine
naloxone
nociception
sensory neurophysiology
spinal cord
substance P
Dorsal motor nucleus of the vagus, 345
cervical vagus
dog
horseradish peroxidase
nodose ganglion
nucleus ambiguus
Dorsal root ganglia, 551
benzidine dihydrochloride
electron microscopy
glucose oxidase
horseradish peroxide
light microscopy
neuroanatomical techniques
sciatic nerve transection
spinal cord
ultrastructure
Double labeling, 385
diencephalon
histofluorescence
horseradish peroxidase
interhemispheric nigrostriatal projections
monoaminergic neurons
Drinking
β-adrenergic agonists, 327
angiotensin II, 121, 327, 357
barosensitive neurons, 357
blood pressure, 327, 357
heart rate, 327
iontophoresis, 357
isoproterenol, 121, 327
subfornical organ, 357
tolazoline, 121
urine output, 327
yohimbine, 121
Drug
β-alanine, 9
alanine, 15
amitriptyline, 339
apomorphine, 425
arginine, 15
aspartate, 47
atropine, 103
bicuculline methiodide, 301
carbamazepine, 407
casein hydrolysate, 15
chlorimipramine, 339
chloropent, 825
p-chlorophenylalanine, 339
chymtrypsin, 103
cinanserin, 339
cyproheptadine, 339
cysteine sulfinate, 47
diazepam, 305, 399
5,7-dihydroxytryptamine, 445
diisopropylfluorophosphate, 631
ethanol, 333
[^{3}H]-Flunitrazepam, 301
glutamate, 47
glycine, 9
haloperidol, 539
hexamethonium, 103
m-hydroxybenzylhydrazine, 539
6-hydroxydopamine, 155, 481, 795
Drug
5,7-hydroxytryptamine, 639
5-hydroxytryptophan, 339
insulin, 667
isoproterenol, 121, 327
kainic acid, 333
lead acetate, 547
leucine, 15
magnesium-adenosine triphosphate, 391
manganese, 103
meprobamate, 399
N-N-dimethyl-5-methoxytryptamine, 339
methysergide, 339
monosodium glutamate, 23
morphine, 727
morphine sulfate, 305, 589
naloxone, 305, 727
N-ethyl-N-nitrosourea, 839
norepinephrine, 639, 795
phentolamine, 103, 795
phenylalanine, 15
potassium chloride, 391
prazosin, 155
propranolol, 103
quipazine, 339
serotonin, 639
sotalol, 795
spiroperidol, 23
SQ-10, 631, 339
taurine, 9
tartaric acid, 539
tolazoline, 121
tryptophan, 15
urethane, 453
yohimbine, 121
zimelidine, 339
Electrical stimulation
acetylcholine synthesis, 437
cat, 437, 505
caudate nucleus, 437
conditioning, classical, 505
dopamine, 437
heart rate, 505
leg flexion, 505
lesions, electrolytic, 505
lesions, nucleus accumbens, 505
respiration, 505
substantia nigra, 437
vocalization, 505
Electrocellular neurochemical detection, 315
chronoamperometry
in vivo electrode monitor
primates
voltammetry
Electroencephalograms, 33
nystagmus
phencyclidine
rhesus monkeys
theta activities
visual evoked potentials
Electron microscopy
benzidine dihydrochloride, 551
caudal neurosecretory system, 89
diabetes neuropathy, 377
dorsal root ganglia, 551
epileptic brain damage, 675, 699
glucose oxidase, 551
hippocampal ultrastructure, 699
horseradish peroxide, 551
inhibition, recurrent, 675
insulin treatment neuropathy, 377
light microscopy, 551, 675, 699
morphometrics, 377
neuroanatomical techniques, 551
peripheral nerve, 377
perforant path, 699
rapid golgi, 675
sciatic nerve transection, 551
spinal cord, 551
stimulation, electrical, 675, 699
teased fiber profiles, 377
ultrastructure, 89, 551
Endocrine control, 353
hypothalamic asymmetry
ovarian compensatory hypertrophy
Endorphins, 523
cerebral ventricle
macrophages
opiate peptides
supraependymal cells
Entopeduncular nucleus, 73
intracellular recording
mesencephalic locomotor region
Epileptic brain damage
electron microscopy, 675, 699
hippocampal ultrastruce, 699
inhibition, recurrent, 675
light microscopy, 675, 699
perforant path, 675, 699
rapid golgi, 675
stimulation, electrical, 675, 699
Esophagus, 1
cat
lower esophageal sphincter
splanchnic mechanoreceptors
sympathetic afferent fibers
17-Alpha-estradiol, 735
17-beta-estradiol
field potentials

hippocampus
17-Beta-estradiol, 735
17-alpha-estradiol
field potentials
hippocampus
Estrogen
adrenergic binding sites, 159
apomorphine, 425
cerebral cortex, 159
dopamine sensitivity, 425
estrous cycle, 489
hypothalamus, 489
midbrain central gray, 489
photoperiod, 159
progesterone, 159
sheep, 159
^{3}H-spiroperidol binding, 425
striatum, 425
vaginocervical stimulation, mechanical, 489
Estrous cycle
estrogen, 489
hypothalamus, 489, 639
lesions, 5,7-DHT, 639
limbic forebrain, 639
midbrain central gray, 489
norepinephrine, 639
preoptic-septal area, 489
serotonin, 639
vaginocervical stimulation, mechanical, 489
Ethanol self-administration, 333
kainic acid
lesions, hippocampus
limbic system
Evoked potentials, 825
anesthesia
chloropent
hypothermia
Extracellular recording, 853
brain slicer
constant perfusion
intracellular recording
Eye movements, 719
lateral geniculate nucleus
oculomotor nuclei
rabbits
superior colliculus

Field potentials, 735
17-alpha-estradiol
17-beta-estradiol
hippocampus
[^{3}H]-Flunitrazepam binding, 301
benzodiazepine receptors
GABA
trout brain
Fluorescence histochemistry, 481
catecholaminergic innervation
knife cuts
lesions, 6-OHDA
nucleus tractus solitarius
Follicle stimulating hormone, 623
bioactive FSH releasing factor
carboxymethylcellulose chromatography
luteinizing hormone releasing hormone
radioimmunoassay
Steelman-Pohley bioassay
Frontal cortex, 607
amygdala
basolateral limbic circuit
horseradish peroxidase
thalamus

GABA
amino acid neurotransmitters, 421
aspartic acid, 421
benzodiazepine receptors, 301
[^{3}H]-Flunitrazepam binding, 301
glutamic acid, 421
glycine, 421
nucleus dorsomedialis thalamus-prefrontal cortex pathway, 421
trout brain, 301
GABA receptors, 741
nipecotic acid
rabbits
retina
trophic factor
Gastric ulceration, 441
bile reflux
bile secretion
chromodacryorrhea
lesions, lateral hypothalamus
salivation
Glial fibrillary acidic protein, 597
brain proteins
DNA
immunofluorescence
immunohistochemistry
in situ hybridization
RNA
Glucose oxidase, 551
benzidine dihydrochloride
dorsal root ganglia
electron microscopy
horseradish peroxide
light microscopy
neuroanatomical techniques
sciatic nerve transection
spinal cord
ultrastructure
Glutamate, 47
amino acids, excitatory
aspartate
hippocampus
neuronal degeneration
striatum
Glutamate decarboxylase, 287
cat
choline acetyltransferase
glutamate uptake
lesions, sensorimotor cortex
Glutamate uptake, 287
cat
choline acetyltransferase
glutamate decarboxylase
lesions, sensorimotor cortex
Glutamic acid, 421
amino acid neurotransmitters
aspartic acid
GABA
glycine
nucleus dorsomedialis thalamus-prefrontal cortex pathway
Glycine
amino acid neurotransmitters, 421
aspartic acid, 421
GABA, 421
glutamic acid, 421
medial preoptic area, 9
nucleus dorsomedialis thalamus-prefrontal cortex pathway, 421
prolactin release, 9
Golgi technique
bed nucleus, stria terminalis, 111
cytoarchitecture, 487
lateral olfactory tract, nucleus, 487
morphology, 111
olfactory cortex, 487
Grooming, 399
$ACTH_{1-24}$
anxiolytics
bombesin
diazepam
meprobamate
novel environment
Guinea pig, 309
horseradish peroxidase histochemistry
lateral hypothalamus
lateral septum
magnocellular dorsal nucleus
Habenula, 27
catecholamine fluorescence
lesions, spetum
pineal gland
sympathetic nervous system
Haloperidol, 539
dopamine synthesis
median eminence
prolactin antiserum
striatum
Hamsters, 583
cats
horseradish peroxidase
somatosensation
species differences
superior colliculus
Headholder
chronic implants, 859
rabbits, 723
stereotaxic instruments, 859
Heart rate
β-adrenergic agonists, 327
angiotensin II, 327
blood pressure, 327
cats, 505
conditioning classical, 505
drinking, 327
electrical stimulation, 505
isoproterenol, 327
leg flexion, 505
lesions, electrolytic, 505
lesions, nucleus accumbens, 505
respiration, 505
urine output, 327
vocalization, 505
Heterophasic sequential incubation, 559
adrenal
circadian rhythms
corticosterone
isophasic sequential incubation
pineal
pituitary
High performance liquid chromatography, 567
dialysis cannula
push-pull perfusion
Hippocampal ultrastructure, 699
electron microscopy
epileptic brain damage
light microscopy
perforant path
stimulation, electrical
Hippocampus
acetylcholinesterase, 365
amino acids, excitatory, 47
aspartate, 47
choline acetyltransferase, 365
cholinergic projections, 365
cortex, 365
17-alpha-estradiol, 735
17-beta-estradiol, 735
field potentials, 735

glutamate, 47
horseradish peroxidase, 137, 445
infrapyramidal mossy fibers, 137
lesions, cingulum bundle, 445
lesions, 5,7-dihydroxytryptamine, 445
lesions, fornix-fimbria, 445
median raphe nucleus, 445
morphology, 137
neuronal degeneration, 47
nucleus tractus diagonalis, 365
serotonin, 445
striatum, 47
Histofluorescence
catecholamines, 321
diencephalon, 385
double labeling, 385
horseradish peroxidase, 385
hyperphagia, 321
hypothalamus, paraventricular, 321
interhemispheric nigrostriatal projections, 385
knife cuts, parasagittal, 321
monoaminergic neurons, 385
obesity, 321
Hormone
angiotensinogen, 163
corticosterone, 559
17-alpha-estradiol, 489, 735
17-beta-estradiol, 735
estradiol benzoate, 339, 425
estrogen, 159, 425, 489
insulin, 377
luteinizing hormone, 339, 411
luteinizing hormone releasing hormone, 391
noradrenaline, 453
progesterone, 159, 339
prolactin, 9, 23, 411, 539
testosterone, 395
Horseradish peroxidase
amygdala, 607
anterograde tracing, 715
basal forebrain, 775
basolateral limbic circuit, 607
benzidine dihydrochloride, 551
cats, 583
cervical vagus, 345
classical conditioning, 747
cobalt iontophoresis, 53
diencephalon, 385
dog, 345
dorsal motor nucleus of the vagus, 345
dorsal root ganglia, 551
double labeling, 385
electron microscopy, 551
frontal cortex, 607
glucose oxidase, 551
guinea pig, 309
hamsters, 583
hippocampus, 137, 445
histofluorescence, 385
infrapyramidal mossy fibers, 137
interhemispheric connections, 805
interhemispheric nigrostriatal projections, 385
ipsilateral fibers, 53
islands of Calleja, 775
Japanese quail, 53
lateral hypothalamus, 309
lateral septum, 309
lesions, cingulum bundle, 445
lesions, 5,7-dihydroxytryptamine, 445
lesions, fornix-fimbria, 445
light microscopy, 551
magnocellular dorsal nucleus, 309
median raphe nucleus, 445
monoaminergic neurons, 385
morphology, 137
neuroanatomical techniques, 551
nictitating membrane response, 747
nodose ganglion, 345
nucleus ambiguus, 345
rabbits, 747
retinal projections, 53
retinohypothalamic tract, 715
ring dove, 715
sciatic nerve transection, 551
serotonin, 445
somatosensation, 583
species differences, 583
spinal cord, 551
superior colliculus, 583
suprachiasmatic nucleus, 715
thalamus, 607
ultrastructure, 551
Human studies, 43
indoleacetic acid metabolism
sleep
tryptamine metabolism
wakefulness
6-Hydroxydopamine, 155
catecholamines
neocortex
noradrenergic binding sites
prazosin
Hyperphagia, 321
catecholamines
histofluorescence
hypothalamus, paraventricular
knife cuts, parasagittal
obesity
Hyperthermia
age differences, 305
anesthesia, 825
body temperature, 305
chloropent, 825
evoked potentials, 825
hypothermia, 305
morphine, 305
opiates, 305
squirrel monkey, 305
Hypothalamic assymmetry, 353
endocrine control
ovarian compensatory hypertrophy
Hypothalamic granules, 391
luteinizing hormone releasing hormone
magnesium-adenosine triphosphate
potassium chloride
Hypothalamus
circadian rhythms, 647
estrogen, 489
estrous cycle, 489, 639
lesions, 5,7-DHT, 639
lesions, paraventricular nucleus, 647
limbic forebrain, 639
midbrain central gray, 489
norepinephrine, 639
pineal circuit, 647
preoptic-septal area, 489
serotonin, 639
spinal cord, 647
suprachiasmatic nucleus, 647
vaginocervical stimulation, mechanical, 489
Hypothalamus, paraventricular, 321
catecholamines
histofluorescence
hyperphagia
knife cuts, parasagittal
obesity
Immobilization, 833
stress
Immunocytochemistry
bovine pancreatic polypeptide (BPP), 373
cerebral arteries, 373
serotonergic system, 459
Immunofluorescence, 597
brain protein
DNA
glial fibrillary acid protein
immunohistochemistry
in situ hybridization
RNA
Immunohistochemistry, 597
brain proteins
DNA
glial fibrillary acid protein
immunofluorescence
in situ hybridization
RNA
Indoleacetic acid metabolism, 43
human studies
sleep
tryptamine metabolism
wakefulness
Indoleamine concentrations, 395
brain, human fetus
catecholamine concentrations
testosterone levels
Infrapyramidal mossy fibers, 137
hippocampus
horseradish peroxidase
morphology
Inhibition, recurrent, 675
electron microscopy
epileptic brain damage
light microscopy
perforant path
rapid golgi
stimulation, electrical
In situ hybridization, 597
brain proteins
DNA
glial fibrillary acidic protein
immunofluorescence
immunohistochemistry
RNA
Insular cortex, 83
association fiber projection
cat
cortico-cortical projection
olfactory system
orbital gyrus
piriform cortex
Insulin, 667
cerebellum
postnatal exposure
serum-free culture medium
Insulin treatment neuropathy, 377
diabetes neuropathy
electron microscopy
morphometrics
peripheral nerve
teased fiber profiles
Interhemispheric connections, 805
horseradish peroxidase
Interhemispheric nigrostriatal projections, 385
diencephalon
double labeling
histofluorescence
horseradish peroxidase
monoaminergic neurons
Intestinal infusion, 15

amino acids
cat
lateral hypothalamus
satiety
single unit activity
ventromedial hypothalamus
Intracellular recording
brain slicer, 853
constant perfusion, 853
entopeduncular nucleus, 73
extracellular recording, 853
mesencephalic locomotor region, 73
In vitro recording, 713
neurophysiology
temperature controller
In vivo electrochemistry, 861
ascorbic acid
catecholamines
DOPAC
modified electrode
In vivo electrode monitor, 315
chronoamperometry
electrocellular neurochemical detection
primates
voltammetry
Iontophoresis
angiotensin II, 357
barosensitive neurons, 357
blood pressure, 357
drinking, 357
noradrenaline, 453
spontaneous discharges, 453
subfornical organ, 357
superior colliculus, 453
visual evoked responses, 453
Ipsilateral fibers, 53
cobalt iontophoresis
horseradish peroxidase
Japanese quail
retinal projections
Isoproterenol
β-adrenergic agonists, 327
angiotensin II, 121, 327
blood pressure, 327
drinking, 121, 327
heart rate, 327
tolazoline, 121
urine output, 327
yohimbine, 121
Islands of Calleja, 775
basal forebrain
horseradish peroxidase
Isophasic sequential incubation, 559
adrenal
circadian rhythms
corticosterone
heterophasic sequential incubation
pineal
pituitary

Japanese quail, 53
cobalt iontophoresis
horseradish peroxidase
ipsilateral fibers
retinal projections

Kainic acid, 333
ethanol self-administration
lesions, hippocampus
limbic system
Knife cuts, 481
catecholaminergic innervation
fluorescence histochemistry
lesions, 6-OHDA
nucleus tractus solitarius
Knife cuts, anterior commissure, 411
chronic implants, male rats
preoptic area
prolactin
knife cuts, parasagittal, 321
catecholamines
histofluorescence
hyperphagia
hypothalamus, paraventricular
obesity

Lateral geniculate nucleus, 719
eye movements
oculomotor nuclei
rabbits
superior colliculus
Lateral hypothalamus
amino acids, 15
cat, 15
guinea pig, 309
horseradish peroxidase histochemistry, 309
intestinal infusion, 15
lateral septum, 309
magnocellular dorsal nucleus, 309
satiety, 15
single unit activity, 15
ventromedial hypothalamus, 15
Lateral olfactory tract, nucleus, 487
cytoarchitecture
Golgi technqiue
olfactory cortex
Lateral septum, 309
guinea pig
horseradish peroxidase histochemistry
lateral hypothalamus
magnocellular dorsal nucleus
Lead, 547
neuropathology
parasites
toxocara canis
Leg flexion, 505
cats
conditioning, classical
electrical stimulation
heart rate
lesions, electrolytic
lesions, nucleus accumbens
respiration
vocalization
Lesions, brainstem, 127
rabbits
sleep, paradoxical
tonic immobility
Lesions, cingulum bundle, 445
hippocampus
horseradish peroxidase
lesions, 5,7-dihydroxytryptamine
lesions, fornix-fimbria
median raphe nucleus
serotonin
Lesions, 5,7-DHT, 639
estrous cycle
hypothalamus
limbic forebrain
norepinephrine
serotonin
Lesions, 5,7-dihydroxytryptamine, 445
hippocampus
horseradish peroxidase
lesions, cingulum bundle
lesions, fornix-fimbria
median raphe nucleus
serotonin
Lesions, electrolytic, 505
cats
conditioning, classical
electrical stimulation
heart rate
leg flexion
lesions, nucleus accumbens
respiration
vocalization
Lesions, fornix-fimbria, 445
hippocampus
horseradish peroxidase
lesions, cingulum bundle
lesions, 5,7-dihydroxytryptamine
median raphe nucleus
serotonin
Lesions, hippocampus, 333
ethanol self-administration
kainic acid
limbic system
Lesions, lateral hypothalamus, 441
bile reflux
bile secretion
chromodacryorrhea
gastric ulceration
salivation
Lesions, medial preoptic area, 147
lesions, sexually dimorphic nucleus
sexual behavior, male rats
Lesions, nucleus accumbens, 505
cats
conditioning, classical
electrical stimulation
heart rate
leg flexion
lesions, electrolytic
respiration
vocalization
Lesions, n. diagonal band, 429
choline acetyltransferase
cholinergic innervation
cingulate cortex
lesions, thalamus
Lesions, 6-OHDA, 481
catecholaminergic innervation
fluorescence histochemistry
knife cuts
nucleus tractus solitarius
Lesions, paraventricular nucleus, 647
circadian rhythms
hypothalamus
pineal circuit
spinal cord
suprachiasmatic nucleus
Lesions, sensorimotor cortex, 287
cat
choline acetyltransferase
glutamate decarboxylase
glutamate uptake
Lesions, septum, 27
catecholamine fluorescence
habenula
pineal gland
sympathetic nervous system
Lesions, sexually dimorphic nucleus, 14
lesions, medial preoptic area
sexual behavior, male rats
Lesions, thalamus, 429
choline acetyltransferase
cholinergic innervation
cingulate cortex
lesions, n. diagonal band

Light microscopy
benzidine dihydrochloride, 551
dorsal root ganglia
electron microscopy, 551, 675, 699
epileptic brain damage, 675, 699
glucose oxidase, 551
hippocampal ultrastructure, 699
horseradish peroxide, 551
inhibition, recurrent, 675
neuroanatomical techniques, 551
perforant path, 675, 699
rapid golgi, 675
sciatic nerve transection, 551
spinal cord, 551
stimulation, electrical, 675, 699
ultrastructure, 551
Limbic forebrain, 639
estrous cycle
hypothalamus
lesions, 5,7-DHT
norepinephrine
serotonin
Limbic system, 333
ethanol self-administration
kainic acid
lesions, hippocampus
Locus coeruleus, 795
cerebellum
off-beam inhibition
stimulation, locus coeruleus
Lower esophageal sphincter, 1
cat
esophagus
splanchnic mechanoreceptors
sympathetic afferent fibers
Luteinizing hormone, 339
neuropharmacological drugs
ovarian steroids
serotonin
luteinizing hormone releasing hormone
bioactive FSH releasing factor, 623
carboxymethylcellulose chromatography, 623
follicle stimulating hormone, 623
hypothalamic granules, 391
magnesium-adenosine triphosphate, 391
potassium chloride, 391
radioimmunoassay, 623
Steelman-Pohley bioassay, 623
Macrophages, 523
cerebral ventricle
endorphins
opiate peptides
supraependymal cells
Magnesium-adenosine triphosphate, 391
hypothalamic granules
luteinizing hormone releasing hormone
potassium chloride
Magnocellular dorsal nucleus, 309
guinea pig
horseradish peroxidase histochemistry
lateral hypothalamus
lateral septum
Manganese, 103
chymtrypsin
compound action potential
dog
middle cervical ganglion
sympathetic neurons
synaptic transmission
Medial basal hypothalamus, 23
dopaminergic system
monosodium glutamate
prolactin release
stress, ether
Medial preoptic area, 9
glycine
prolactin release
Median eminence, 539
dopamine synthesis
haloperidol
prolactin antiserum
striatum
Median raphe nucleus, 445
hippocampus
horseradish peroxidase
lesions, cingulum bundle
lesions, 5,7-dihydroxytryptamine
lesions, fornix-fimbria
serotonin
Melanin, 847
aging
melanocytes
neuromelanin
Melanocytes, 847
aging
melanin
neuromelanin
Meprobamate, 399
$ACTH_{1-24}$
anxiolytics
bombesin
diazepam
grooming
novel environment
Mesencephalic locomotor region
autoradiography, 63
entopeduncular nucleus, 73
intracellular recording, 73
retrograde fluorescence labeling, 63
substantia nigra, 57
treadmill locomotion, 57
Mesencephalon, 573
chronic brain stimulation
circling behavior
collision test
moveable electrode
pons
Mesodiencephalic junction, 517
anterior pretectal nucleus
autoradiography
cats
cerebral projections
motor cortex
nucleus of Darkschewitsch
pericruciate cortex
posterior pretectal nucleus
Method
anterograde tracing, 715
autoradiography, 63, 517
benzidine dihydrochloride, 551
carboxymethylcellulose chromatography, 623
cobalt iontophoresis, 53
dual moveable electrode, 573
electron microscopy, 89, 377, 551, 675, 699
fluorescence histochemistry, 481
gas liquid chromatography, 421
glucose oxidase, 551
Golgi technqiue, 111
histofluorescence, 385
horseradish peroxidase, 53, 137, 345, 385, 445, 551, 583, 607, 715, 747, 775, 805
horseradish peroxidase histochemistry, 309
immonocytochemistry, 459
immunofluorescence, 597
immunohistochemistry, 597
in situ hybridization, 597
in vivo electrochemistry, 861
light microscopy, 551, 675, 699, 847
microdissection, 415
PAP immunohistochemistry, 653
radioimmunoassay, 623
rapid golgi, 675
retrograde double labeling, 529
Steelman-Pohley bioassay, 623
teased fiber profiles, 377
Microdissection, 415
amino acids
neurotransmitters
spinal cord
Micropipette, 403
nanoliter syringe
Midbrain central gray, 489
estrogen
estrous cycle
hypothalamus
preoptic-septal area
vaginocervical stimulation, mechanical
Middle cervical ganglion, 103
chymtrypsin
compound action potential
dog
manganese
sympathetic neurons
synaptic transmission
Modified electrode, 861
ascorbic acid
catecholamines
DOPAC
in vivo electrochemistry
Monoamine distribution, 171
anatomy
axonal pathways
primate brain
rhesus monkeys
squirrel monkeys
stump-tail monkeys
Monoaminergic neurons, 385
diencephalon
double labeling
histofluorescence
horseradish peroxidase
interhemispheric nigrostriatal projections
Monosodium glutamate, 23
dopaminergic system
medial basal hypothalamus
prolactin release
stress, ether
Morphine
age differences, 305
body temperature, 305
cats, 727
dorsal horn, 727
hyperthermia, 305
hypothermia, 305
naloxone, 727
nociception, 727
opiates, 305
sensory neurophysiology, 727
spinal cord, 727
squirrel monkey, 305
substance P, 727
Morphine tolerance, 589
acetylcholinesterase
CNS
thalamus
withdrawal
Morphology
amacrine cells, 97

bed nucleus, stria terminalis, 111
cell differentiation, 97
chicks, 97
doapminergic neurons, 97
Golgi technqiue, 111
hippocampus, 137
horseradish peroxidase, 137
infrapyramidal mossy fibers, 137
retina, 97
Morphometrics, 377
diabetes neuropathy
electron microscopy
insulin treatment neuropathy
peripheral nerve
teased fiber profiles
Motor cortex, 517
anterior pretectal nucleus
autoradiography
cats
cerebral projections
mesodiencephalic junction
nucleus of Darkschewitsch
pericruciate cortex
posterior pretectal nucleus
Moveable electrode, 573
chronic brain stimulation
circling behavior
collision test
mesencephalon
pons
Multiple-unit activity, 765
classical conditioning
nictitating membrane response
rabbits
stimulation, electrical

Naloxone, 727
cats
dorsal horn
morphine
nociception
sensory neurophysiology
spinal cord
substance P
Nanoliter syringe, 403
micropipette
Neocortex, 155
catecholamines
6-hydroxydopamine
noradrenergic binding sites
prazosin
Nervous system, 811
antidromic activation
conduction velocity
parasympathetic system
salivatory neurons
Neuroanatomical technqiues, 551
benzidine dihydrochloride
dorsal root ganglia
electron microscopy
glucose oxidase
horseradish peroxide
light microscopy
sciatic nerve transection
spinal cord
ultrastructure
Neurohypophysis, 603
neutral sphingomyelinase
saline ingestion
sphingomyelinase, acid
Neuromelanin, 847
aging
melanin
melanocytes
Neuronal degenration, 47
amino acids, excitatory
aspartate
glutamate
hippocampus
striatum
Neuropathology, 547
lead
parasites
toxocara canis
Neuropharmacological drugs, 339
luteinizing hormone
ovarian steroids
serotonin
Neurophysiology, 713
in vitro recording
temperature controller
Neurotensin, 661
ambient temperature
body temperature
thermoregulation
Neurotransmitters, 415
amino acids
microdissection
spinal cord
Neutral sphingomyelinase, 603
neurohypophysis
saline ingestion
sphingomyelinase, acid
Nictitating membrane response
classical conditioning, 747, 765
horseradish peroxidase, 747
mutliple-unit activity, 765
rabbits, 747, 765
stimulation, electrical, 765
Nipecotic acid, 741
GABA receptors
rabbits
retina
trophic factor
N-Ethyl-N-nitrosourea, 839
prenatal exposure
spinal cord
teratology
Nociception, 727
cats
dorsal horn
morphine
naloxone
sensory neurophysiology
spinal cord
substance P
Nodose ganglion, 345
cervical vagus
dog
dorsal motor nucleus of the vagus
horseradish peroxidase
nucleus ambiguus
Noradrenaline, 453
iontophoresis
spontaneous discharges
superior colliculus
visual evoked responses
Noradrenergic binding sites, 155
catecholamines
6-hydroxydopamine
neocortex
prazosin
Norepinephrine, 639
estrous cycle
hypothalamus
lesions, 5,7-DHT
limbic forebrain
serotonin
Normative data, 817
pattern reversal evoked potentials
strain differences
visual acuity
Novel environment, 399
$ACTH_{1-25}$
anxiolytics
bombesin
diazepam
grooming
meprobamate
Nucleus ambiguus, 345
cervical vagus
dog
dorsal motor nucleus of the vagus
horseradish peroxidase
nodose ganglion
Nucleus of Darkschewitsch, 517
anterior pretectal nucleus
autoradiography
cats
cerebral projections
mesodiencephalic junction
motor cortex
pericruciate cortex
posterior pretectal nucleus
Nucleus dorsomedialis thalamus-prefrontal cortex pathway, 42
amino acid neurotransmitters
aspartic acid
GABA
glutamic acid
glycine
Nucleus tractus diagonalis, 365
acetylcholinesterase
choline acetyltransferase
cholinergic projections
cortex
hippocampus
Nucleus tractus solitarius
catecholaminergic innervation, 481
choline acetyltransferase, 433
fluorescence histochemistry, 481
knife cuts, 481
lesions, 6-OHDA
vagal afferent nerves, 433
Nystagmus, 33
electroencephalograms
phencyclidine
rhesus monkeys
theta activities
visual evoked potentials

Obesity, 321
catecholamines
histofluorescence
hyperphagia
hypothalamus, paraventricular
knife cuts, parasagittal
Oculomotor nuclei, 719
eye movements
lateral geniculate nucleus
rabbits
superior colliculus
Off-beam inhibition, 795
cerebellum
locus coeruleus
stimulation, locus coeruleus
Olfactory cortex, 487
cytoarchitecture
Golgi technique
lateral olfactory tract, nucleus
Olfactory system, 83
association fiber projection
cat

cortico-cortical projection
insular cortex
orbital gyrus
piriform cortex
Opiate peptides, 523
cerebral ventricle
endorphins
macrophages
supraependymal cells
Opiates, 305
age differences
body temperature
hyperthermia
hypothermia
morphine
squirrel monkey
Orbital gyrus
association fiber projection
cat
cortico-cortical projection
insular cortex
olfactory system
piriform cortex
Ovarian compensatory hypertrophy, 353
endocrine control
hypothalamic asymmetry
Ovarian steroids, 339
luteinizing hormone
neuropharmacological drugs
serotonin

Pain, 407
analgesia
bradykinin
rabbits
subnucleus reticularis dorsalis
tooth pulp
trigeminal subnucleus caudalis
PAP immunohistochemistry, 653
cats
central nervous system
vasoactive intestinal polypeptide
Parasites, 547
lead
neuropathology
toxocara canis
Parasympathetic system, 811
antidromic activation
conduction velocity
nervous system
salivatory neurons
Pattern reversal evoked potentials, 817
normative data
strain differences
visual acuity
Peptide
$ACTH_{1-24}$, 399
angiotensin, 295
angiotensin II, 121, 327, 357
bombesin, 399
bovine pancreatic polypeptide (BPP), 373
bradykinin, 407
α-endorphin, 523
β-endorphin, 523
met-enkephalin, 523
follicle stimulating hormone, 623
GABA, 795
luteinizing hormone releasing hormone, 623
melanocytes, 847
neurotensin, 661
substance P, 727
vasoactive intestinal polypeptide, 653
Perforant path
electron microscopy, 675, 699
epileptic brain damage, 675, 699
hippocampal ultrastructure, 699
inhibition, recurrent, 675
light microscopy, 675, 699
rapid golgi, 675
stimulation, electrical, 675, 699
Pericruciate cortex, 517
anterior pretectal nucleus
autoradiography
cats
cerebral projections
mesodiencephalic junction
motor cortex
nucleus of Darkschewitsch
posterior pretectal nucleus
Peripheral nerve, 377
diabetes neuropathy
electron miscroscopy
insulin treatment neuropathy
morphometrics
teased fiber profiles
Phencyclidine, 33
electroencephalograms
nystagmus
rhesus monkeys
theta activities
visual evoked potentials
Photoperiod, 159
adrenergic binding sites
cerebral cortex
estrogen
progesterone
sheep
Pineal circuit, 647
circadian rhythms
hypothalamus
lesions, paraventricular nucleus
spinal cord
suprachiasmatic nucleus
Pineal gland
adrenal, 559
catecholamine fluorescence, 27
circadian rhythms, 559
corticosterone, 559
habenula, 27
heterophasic sequential incubation, 559
isophasic sequential incubation, 559
lesions, septum, 27
pituitary, 559
sympathetic nervous system, 27
Piriform cortex, 83
association fiber projection
cat
cortico-cortical projection
insular cortex
olfactory system
orbital gyrus
Pituitary, 559
adrenal
circadian rhythms
corticosterone
heterophasic sequential incubation
isophasic sequential incubation
pineal
Pons, 573
chronic brain stimulation
circling behavior
collision test
mesencephalon
moveable electrode
Postnatal exposure, 667
cerebellum
insulin
serum free culture medium
Posterior pretectal nucleus, 517
anterior pretectal nucleus
autoradiography
cats
cerebral projections
mesodiencephalic junction
motor cortex
nucleus of Darkschewitsch
pericruciate cortex
Potassium chloride, 391
hypothalamic granules
luteinizing hormone releasing hormone
magnesium-adenosine triphosphate
Prazosin, 155
catecholamines
6-hydroxydopamine
neocortex
noradrenergic binding sites
Prenatal exposure, 839
N-ethyl-N-nitrosourea
spinal cord
teratology
Preoptic area
chronic implants, male rats, 411
chronic neural recordings, 39
knife cuts, anterior commissure, 411
prolactin, 411
rabbits, 39
thermoregulation, 39
thermosensitive neurons, 39
Preoptic-septal area, 489
estrogen
estrous cycle
hypothalamus
midbrain central gray
vaginocervical stimulation, mechanical
Primate brain, 171
anatomy
axonal pathways
monoamine distribution
rhesus monkeys
squirrel monkeys
stump-tail monkeys
Primates, 315
chronoamperometry
electrocellular neurochemical detection
in vivo electrode monitor
voltammetry
Progesterone, 159
adrenergic binding sites
cerebral cortex
estrogen
photoperiod
sheep
Prolactin, 411
chronic implants, male rats
knife cuts, anterior commissure
preoptic area
Prolactin antiserum, 539
dopamine synthesis
haloperidol
median eminence
striatum
Prolactin release
dopaminergic system, 23
glycine, 9
medial basal hypothalamus, 23
medial preoptic area, 9
monosodium glutamate, 23
stress, ether, 23
Push-pull perfusion, 567
dialysis cannula

high performance liquid chromatography

Rabbits
analgesia, 407
bradykinin, 407
chronic neural recordings, 39
classical conditioning, 747, 765
eye movements, 719
GABA receptors, 741
head-holder, 723
horseradish peroxidase, 747
lateral geniculate nucleus, 719
lesions, brainstem, 127
multiple-unit activity, 765
nictitating membrane response, 747, 765
nipecotic acid, 741
oculomotor nuclei, 719
pain, 407
preoptic area, 39
retina, 741
sleep, paradoxical, 127
stimulation, electrical, 765
subnucleus reticularis dorsalis, 407
superior colliculus, 719
thermoregulation, 39
thermosensitive neurons, 39
tonic immobility, 127
tooth pulp, 407
trigeminal subnucleus caudalis, 407
trophic factor, 741
Radioimmunoassay, 623
bioactive FSH releasing factor
carboxymethylcellulose chromatography
follicle stimulating hormone
luteinizing hormone releasing hormone
Steelman-Pohley bioassay
Rapid golgi, 675
electron microscopy
epileptic brain damage
inhibition, recurrent
light microscopy
perforant path
stimulation, electrical
Respiration, 505
cats
conditioning, classical
electrical stimulation
heart rate
leg flexion
lesions, electrolytic
lesions, nucleus accumbens
vocalization
Retina
amacrine cells, 97
cell differentiation, 97
chicks, 97
dopaminergic neurons, 97
GABA receptors, 741
morphology, 97
nipecotic acid, 741
rabbits, 741
trophic factor, 741
Retinal projections, 53
cobalt iontophoresis
horseradish peroxidase
ipsilateral fibers
Japanese quail
Retinohypothalamic tract, 715
anterograde tracing
horseradish peroxidase
ring dove
suprachiasmatic nucleus
Retrograde double labeling, 529
axonal branching
squirrel monkeys
substantia nigra pars reticulata
Retrograde fluorescence labeling, 63
autoradiography
mesencephalic locomotor region
Rhesus monkeys
anatomy, 171
axonal pathways, 171
electroencephalograms, 33
monoamine distribution, 171
nystagmus, 33
phencyclidine, 33
primate brain, 171
squirrel monkeys, 171
stump-tail monkeys, 171
theta activities, 33
visual evoked potentials, 33
Ring dove, 715
anterograde tracing
horseradish peroxidase
retinohypothalamic tract
suprachiasmatic nucleus
RNA, 597
brain proteins
DNA
glial fibrillary acidic protein
immunofluorescence
immunohistochemistry
in situ hybridization

Saline ingestion, 603
neurohypophysis
neutral sphingomyelinase
sphingomyelinase, acid
Salivation, 441
bile reflux
bile secretion
chromodacryorrhea
gastric ulceration
lesions, lateral hypothalamus
Salivatory neurons, 811
antidromic activation
conduction velocity
nervous system
parasympathetic system
Satiety, 15
amino acids
cat
intestinal infusion
lateral hypothalamus
single unit activity
ventromedial hypothalamus
Sciatic nerve transection, 551
benzidine dihydrochloride
dorsal root ganglia
electron microscopy
glucose oxidase
horseradish peroxide
light microscopy
neuroanatomical techniques
spinal cord
ultrastructure
Sensory neurophysiology, 727
cats
dorsal horn
morphine
naloxone
nociception
spinal cord
substance P
Serotonergic system, 459
immunocytochemistry
Serotonin
estrous cycle, 639
hippocampus, 445
horseradish peroxidase, 445
hypothalamus, 639
lesions, cingulum bundle, 445
lesions, 5,7-DHT, 639
lesions, 5,7-dihydroxytryptamine, 445
lesions, fornix-fimbria, 445
limbic forebrain, 639
lutenizing hormone, 339
median raphe nucleus, 445
neuropharmacolmgical drugs, 339
norepinephrine, 639
ovarian steroids, 339
Serum-free culture medium, 667
cerebellum
insulin
postnatal exposure
Sexual behavior, male rats, 147
lesions, medial preoptic area
lesions, sexually dimorphic nucleus
Sheep, 159
adrenergic binding sites
cerebral cortex
estrogen
photoperiod
progesterone
Single unit activity, 15
amino acids
cat
intestinal infusion
lateral hypothalamus
satiety
ventromedial hypothalamus
Sleep, 43
human studies
indoleacetic acid metabolism
tryptamine metabolism
wakefulness
Sleep, paradoxical, 127
lesions, brainstem
rabbits
tonic immobility
Somatosensation, 583
cats
hamsters
horseradish peroxidase
species differnces
superior colliculus
Species differences, 583
cats
hamsters
horseradish peroxidase
somatosensation
superior colliculus
Sphingomyelinase, acid, 603
neurohypophysis
neutral sphingomyelinase
saline ingestior
Spinal cord
amino acids, 415
benzidine dihydrochloride, 551
cats, 631, 727
chronic administration, 631
circadian rhythms, 647
diisopropylfluorophosphate, 631
dorsal horn, 727
dorsal root ganglia, 551
electron microscopy, 551
glucose oxidase, 551
horseradish peroxide, 551
hypothalamus, 647
lesions, paraventricular nucleus, 647

light microscopy, 551
microdissection, 415
morphine, 727
naloxone, 727
neuroanatomical techniques, 551
neurotransmitters, 415
N-ethyl-N-nitrosourea, 839
nociception, 727
pineal circuit, 647
prenatal exposure, 839
sciatic nerve transection, 551
sensory neurophysiology, 727
substance P, 727
suprachiasmatic nucleus, 647
teratology, 839
ultrastructure, 551
ventral anterior horn, 631
^{3}H-spiroperidol binding, 425
apomorphine
dopamine sensitivity
estrogen
striatum
Splanchnic mechanoreceptors, 1
cat
esophagus
lower esophagus sphincter
sympathetic afferent fibers
Spontaneous dischrages, 453
iontophoresis
noradrenaline
spontaneous discharges
visual evoked responses
Squirrel monkey
age differences, 305
anatomy, 171
axonal branching, 529
axonal pathways, 171
body temperature, 305
hyperthermia, 305
hypothermia, 305
monoamine distribution, 171
morphine, 305
opiates, 305
primate brain, 171
retrograde double labeling, 529
rhesus monkeys, 171
stump-tail monkeys, 171
substantia nigra pars reticulata, 529
Steelman-Pohley bioassay, 623
bioactive FSH releasing factor
carboxymethylcellulose chromatography
follicle stimulating hormone
luteinizing hormone releasing hormone, 623
radioimmunoassay
Stereotaxic instruments, 859
chronic implants
headholder
Stimulation, electrical
classical conditioning, 765
electron microscopy, 699
epileptic brain damage, 699
hippocampal ultrastructure, 699
inhibition, recurrent, 675, 699
light microscopy, 699
multiple-unit activity, 765
nictitating membrane response, 765
perforant path, 699
rabbits, 765
rapid golgi, 675, 699
Stimulation, locus coeruleus, 795
cerebellum
locus coeruleus
off-beam inhibition
Strain differences, 817
normative data
pattern reversal evoked potentials
visual acuity
Stress, 833
immobilization
Stress, ether, 23
dopaminergic system
medial basal hypothalamus
monosidum glutamate
prolactin release
Striatum
amino acids, excitatory, 47
apomorphine, 425
aspartate, 47
dopamine sensitivity, 425
dopamine synthesis, 539
estrogen, 425
glutamate, 47
haloperidol, 539
hippocampus, 47
median eminence, 539
neuronal degeneration, 47
prolactin antiserum, 539
^{3}H-spiroperidol binding, 425
Structure activity relationships, 295
angiotensins
binding sites
synaptosomes
Stump-tail monkeys, 171
anatomy
axonal pathways
monoamine distribution
primate brain
rhesus monkeys
squirrel monkesy
Subfornical organ, 357
angiotensin II
barosensitive neurons
blood pressure
drinking
iontophoresis
Subnucleus reticularis dorsalis, 407
analgesia
bradykinin
pain
rabbits
tooth pulp
trigeminal subnucleus caudalis
Substance P, 727
cats
dorsal horn
morphine
naloxone
nociception
sensory neurophysiology
spinal cord
Substantia nigra
acetylcholine synthesis, 437
cat, 437
caudate nucleus, 437
dopamine, 437
electrical stimulation, 437
mesencephalic locomotor region, 57
treadmill locomotion, 57
Substantia nigra pars reticulata, 529
axonal branching
retrograde double labeling
squirrel monkeys
Superior colliculus
cats, 583
eye movements, 719
hamsters, 583
horseradish peroxidase, 583
iontophoresis, 453
lateral geniculate nucleus, 719
noradrenaline, 453
oculomotor nuclei, 719
rabbits, 719
somatosensation, 583
species differences, 583
spontaneous discharges, 453
visual evoked responses, 453
Suprachiasmatic nucleus
anterograde tracing, 715
circadian rhythms, 647
horseradish peroxidase, 715
hypothalamus, 647
lesions, parventricular nucleus, 647
pineal circuit, 647
retinohypothalamic tract, 715
ring dove, 715
spinal cord, 647
Supraependymal cells, 523
cerebral ventricle
endorphins
macrophages
opiate peptides
Sympathetic afferent fibers, 1
cat
esophagus
lower esophageal sphincter
splanchnic mechanoreceptors
Sympathetic neurons, 103
chymtrypsin
compound action potential
dog
manganese
middle cervical ganglion
synaptic transmission
Sympathetic nervous system, 27
catecholamine fluorescence
habenula
lesions, septum
pineal gland
Synaptic transmission, 103
chymtrypsin
compound action potential
dog
manganese
middle cervical ganglion
sympathetic neurons
Synaptosomes, 295
angiotensins
binding sites
structure activity relationships

Teased fiber profiles, 377
diabetes neuropathy
electron microscopy
insulin treatment neuropathy
morphometrics
peripheral nerve
Temperature controller, 713
in vitro recording
neurophysiology
Teratology, 839
N-ethyl-N-nitrosourea
prenatal exposure
spinal cord
Testosterone levels, 395
brain, human fetus
catecholamine concentrations
indoleamine concentrations
Thalamus
acetylcholinesterase, 589
amygdala, 607
basolateral limbic circuit, 607
CNS, 589

fronta cortex, 607
horseradish peroxidase, 607
morphine tolerance, 589
withdrawal, 589
Thermoregulation
ambient temperature, 661
body temperature, 661
chronic neural recordings, 39
neurotensin, 661
preoptic area, 39
rabbits, 39
thermosensitive neurons, 39
Thermosensitive neurons, 39
chronic neural recordings
preoptic area
rabbits
thermoregulation
Theta activities, 33
electroencephalograms
nystagmus
phencyclidine
rhesus monkeys
visual evoked potentials
Tolazoline, 121
angiotensin II
drinking
isoproterenol
yohimbine
Tonic immobility, 127
lesions, brainstem
rabbits
sleep, paradoxical
Tooth pulp, 407
analgesia
bradykinin
pain
rabbits
subnucleus reticularis dorsalis
trigeminal subnucleus caudalis
Toxocara canis, 547
lead
neuropathology
parasites
Treadmill locomotion, 57
mesencephalic locomotor region
substantia nigra
Trigeminal subnucleus caudalis, 407
analgesia
bradykinin
pain
rabbits
subnucleus reticularis dorsalis
tooth pulp
Trophic factor, 741
GABA receptors
nipecotic acid
rabbits
retina
Trout Brain, 301
benzodiazepine receptors
[^{3}H]-Flunitrazepam binding
GABA
Tryptamine metabolism, 43
human studies
indoleacetic acid metabolism
sleep
wakefulness

Ultrastructure
benzidine dihydrochloride, 551
caudal neurosecretory system, 81, 551
dorsal root ganglia, 551
electron microscopy, 89, 551
glucose oxidase, 551
horseradish peroxide, 551
light mocroscopy, 551
neuroanatomical techniques, 551
sciatic nerve transection, 551
spinal cord, 551
Urine output, 327
β-adrenergic agonists
angiotensin II
blood pressure
drinking
heart rate
isoproterenol

Vagal afferent nerves, 433
choline acetyltransferase
nucleus tractus solitarius
Vaginocervical stimulation, mechanical, 489
estrogen
estrous cycle
hypothalamus
midbrain central gray
preoptic-septal area
Vasoactive intestinal polypeptide, 653
cats
central nervous system
PAP immunohistochemistry
Ventral anterior horn, 631
cats
chronic administration
diisopropylfluorophosphate
spinal cord
Ventromedial hypothalamus, 15
amino acids
cat
intestinal infusion
lateral hypothalamus
satiety
single unit activity
Visual acuity, 817
normative data
pattern reversal evoked potentials
strain differences
Visual evoked potentials
electroencephalograms, 33
iontophoresis, 453
noradrenaline, 453
nystagmus, 33
phencyclidine, 33
rhesus monkeys, 33
spontaneous discharges, 453
superior colliculus, 453
theta activities, 33
Vocalization, 505
cats
conditioning, classical
electrical stimulation
heart rate
leg flexion
lesions, electrolytic
lesions, nucleus accumbens
respiration
Voltammetry, 315
chronoamperometry
electrocellular neurochemical detection
in vivo electrode monitor
primates

Wakefulness, 43
human studies
indoleacetic acid metabolism
sleep
tryptamine metabolism
Withdrawal, 589
acetylcholinesterase
CNS
morphine tolerance
thalamus

Yohimbine, 121
angiotensin II
drinking
isoproterenol
tolazoline

AUTHOR INDEX

Alejos, M., 597
Araki, M., 97
Arendash, G. W., 147
Armour, J. A., 103
Azmitia, E. C., 445

Banzan, A. M., 9
Barden, H., 847
Barnea, A., 391
Barnes, K. L., 345
Barney, C. C., 327
Beattie, M. S., 551
Blaha, C. D., 861
Blakely, R. D., 315
Boucher, R., 529
Boulant, J. A., 853
Boyes, W. K., 817, 825
Braun, C. M. J., 127
Bresnahan, J. C., 551
Brière, R., 155
Burright, R. G., 547
Burrows, G. H., 391

Casanova, C., 719
Chafetz, M. D., 27
Chambers, J. W., 321, 865
Chen, E. H., 43
Chernicky, C. L., 345
Clark, S. M., 305
Clark, W. G., 305
Clarke, J. T. R., 603
Clavier, R. M., 321
Clerc, N., 1
Colombo, J. A., 411
Conomy, J. P., 345
Cook, H. W., 603
Cooper, M. L., 715
Coscina, D. V., 321
Crawley, J. N., 399
Creed, G. J., 365, 647
Crim, L. W., 301
Cypess, R. H., 547

Das, G. D., 839
DE Beaurepaire, R., 357
DEFrance, J. F., 429
deGubareff, T., 699
DE Jong, W., 295
Delaunais, D., 719
Dennis, B. J., 723
Desmond, J. E., 747, 765
Djuricic-Nedelson, M., 43

Dodman, A. P., 723
Dolinsky, Z. S., 547
Donoso, A. O., 9
Donovick, P. J., 547
Dowling, K. C., 33
Dusticier, N., 287
Duvarney, R. C., 315
Dyer, R. S., 817,825

Eisenman, J. S., 811
Engels, G. M. H., 295

Fallon, J. H., 775
Fawcett, C. P., 623
Felten, D. L., 171, 377, 415
Ferrario, C. M., 345
Foong, F. W., 407
Foy, M. R., 735
Fregly, M. J., 121, 327
Fukui, K., 653

Gage, F. H., 27
Garcia-Rill, E., 57, 63, 73, 437
Geiselman, P. J., 441
George, S. R., 539
Gilmore, D. P., 395
Gilmore, S. A., 63
Gomez-Capilla, J. A., 421
Gordon, J. H., 425
Gorski, R. A., 147
Gottesfeld, Z., 429
Greenleaf, J. E., 121
Grieve, P. A., 631
Griffin, W. S. T., 597
Grijalva, C. V., 441
Gueguen, B., 357
Guldin, W. O., 805
Guy, N. C., 603

Halberg, F., 559
Handelmann, G. E., 433
Haskins, J. T., 489
Haus, E., 559
Hawkins, R. L., 163
Healy, D. P., 481
Heath, J. E., 39
Helke, C. J., 433
Henke, P. G., 833
Henry, J. L., 727
Herdon, H. J., 159
Higa, S., 647
Holahan, W., 333
Houle, J. D., 839
Howard, S. G., 437
Huck, S., 667
Huston, J. P., 385

Ibata, Y., 653
Ino, Y., 83

Ishibashi, S., 357
Ito, H., 53
Iyengar, S., 339

Jackson, M. B., 57
Jacobowitz, D. M., 365, 373, 433, 647
Jeanningros, R., 15
Jew, J. Y., 481
Jimenez, A. E., 639
Johnson, R. D., 567
Justice, J. B., 567

Katovich, M. J., 327
Kayama, Y., 453
Kelso, S. R., 853
Kerr, D. I. B., 723
Khan, I., 301
Khorram, O., 23
Kimura, H., 97
Kitao, Y., 517
Klein, D. C., 647
Kobayashi, S., 373
Kriebel, R. M., 89

Laferrier, C., 719
Lakatua, D., 559
Lane, R. F., 861
Lauder, J. M., 459
Lee, T. F., 661
Levine, S., 847
Lipton, J. M., 305
Lumpkin, M. D., 623

McBride, W. J., 415
McCann, S. M., 23, 623
McDonald, A. J., 111, 497
McHaffie, J. G., 859

Mackey, A., 529
Madani, M. O., 159
Madtes, P. C., Jr., 741
Maeda, T., 97
Mandelbaum, J. A., 377
Mangano, R. M., 47
Markey, S. P., 647
Markowitsch, H. J., 607, 805
Masai, H., 53
Matsuzaki, M., 33
Mawe, G. M., 551
Mei, N., 1
Meyer, D. C., 639
Miliaressis, E., 573
Mizunuma, H., 23, 623
Moger, W. H., 353
Mohanakumar, K. P., 589
Moises, H. C., 795
Molotchnikoff, S., 719

Moltz, J. H., 623
Moody, T. W., 399
Moore, J. W., 747, 765
Mora, F., 421
Morgan, S., 385
Morrison, M. R., 597
Moss, R. L., 489
Motokizawa, F., 83
Murphy, M. T., 305
Myers, R. D., 333, 661

Nakamura, Y., 517
Nance, D. M., 353
Nelson, D. O., 853
Newlin, G. E., 377
Nicolaidis, S., 357
Nieoullon, A., 287
Nilaver, G., 597
Novin, D., 441

Obata-Tsuto, H. L., 653
O'Brien, J. P., 89
Okamura, H., 653
Okoyama, S., 517
Olney, J. W., 699
Olschowka, J. A., 373
Ortiz, E., 523
Osorio, C., 421
Owings, R., 63

Parent, A., 529
Patrick, J. T., 415
Peinado, J. M., 421
Perry, K. O., 425
Peterson, R. G., 377
Philippe, L., 573
Pickard, G. E., 715
Pivik, R. T., 127
Poulain, P., 309
Printz, M. P., 163
Pritzel, M., 385

Rabii, J., 339
Radulovacki, M., 43
Radulovacki, P., 43
Reader, T. A., 155
Reaves, T. A. Jr., 39
Redburn, D. A., 741
Ritterman, S. I., 411
Rose, G., 713
Rosenfield, M. E., 747
Rowland, N. E., 121

Saland, L. C., 523
Samora, A., 523
Samson, W. K., 623
Sánchez, E., 559
Sánchez DE LA Peña, S., 559
Saper, C. B., 403

Sarter, M., 385, 607
Sato, H., 453
Satoh, M., 407
Scheving, L. E., 559
Schwarcz, R., 47
Shin, S. H., 539
Shum, A., 539
Sikes, R. W., 429
Sikora-VanMeter, K. C., 631
Silva, N. L., 853
Silver, R., 715
Singh, J., 639
Skinner, R. D., 57, 63
Sladek, J. R. Jr., 171
Sloviter, R. S., 675, 699
Smith, M. M., 57
Smith, Y., 529
Smoot, R., 647
Sood, P. P., 589
Spence, M. W., 603
Stein, B. E., 859
Summers, B., 547
Swartzwelder, H. S., 333

Takatsuji, K., 53
Terubayashi, H., 653
Teyler, T. J., 735
Thornton, S. N., 357
Threatte, R. M., 327
Tonnaer, J. A. D. M., 295
Tordoff, M. G., 441
Tsuto, T., 653

Ungar, F., 559

Van Buskirk, R. L., 583
Van Epps, D. E., 523
Van Loon, G. R., 539
VanMeter, W. G., 631
Vecsei, P., 559
Voshart, K., 295

Wallace, J. A., 459
Waterhouse, B. D., 795
Weller, J. L., 647
West, J. R., 137
Westfall, S. G., 377
White, J. P., 353
Wiegant, V. M., 295
Wilkinson, D. A., 301
Wilkinson, M., 159, 301
Willetts, J., 631
Wilson, C. A., 395
Wilson, W. J., 505
Woodward, D. J., 795

Yanaihara, N., 653

Zhou, F.-C., 445

BRAIN RESEARCH BULLETIN

VOLUME 10 NUMBER 1 JANUARY 1983

CONTENTS

Thoracic esophageal mechanoreceptors connected with fibers following sympathetic pathways. CLERC, N. and N. MEI 1

Enhanced prolactin release by injection of glycine in the medial preoptic area (mPOA) of the rat. BANZAN, A. M. and A. O. DONOSO 9

Effect of intestinal amino acid infusions on hypothalamic single unit activity in the anesthetized cat. JEANNINGROS, R. 15

Blockade of stress-induced prolactin release in monosodium glutamate-treated rats. MIZUNUMA, H., O. KHORRAM and S. M. McCANN 23

Pineal and habenula innervation altered by septal lesions. CHAFETZ, M. D. and F. H. GAGE . 27

Effects of phencyclidine (PCP) on the visual evoked potentials in the rhesus monkey. MATSUZAKI, M. and K. C. DOWLING 33

Thermosensitive characteristics of a preoptic area neuron recorded over a 20 day period in the rabbit. REAVES, T. A., JR. and J. E. HEATH 39

Human tryptamine metabolism decreases during night sleep. RADULOVACKI, P., M. DJURICIC-NEDELSON, E. H. CHEN and M. RADULOVACKI 43

Chronic infusion of endogenous excitatory amino acids into rat striatum and hippocampus. MANGANO, R. M. and R. SCHWARCZ 47

Ipsilateral retinal projections in Japanese quail, *Coturnix coturnix japonica*. TAKATSUJI, K., H. ITO and H. MASAI 53

Connections of the mesencephalic locomotor region (MLR). I. Substantia nigra afferents. GARCIA-RILL, E., R. D. SKINNER, M. B. JACKSON and M. M. SMITH 57

Connections of the mesencephalic locomotor region (MLR). II. Afferents and efferents. GARCIA-RILL, E., R. D. SKINNER, S. A. GILMORE and R. OWINGS 63

Connections of the mesencephalic locomotor region (MLR). III. Intracellular recordings. GARCIA-RILL, E. 73

A non-thalamic olfactory pathway to the orbital gyrus in the cat. MOTOKIZAWA, F. and Y. INO 83

Caudal neurosecretory system synaptic morphology following deafferentation: An electron microscopic degeneration study. O'BRIEN, J. P. and R. M. KRIEBEL 89

Dopaminergic cell differentiation in developing chick retina. ARAKI, M., T. MAEDA and H. KIMURA 97

Synaptic transmission in the decentralized middle cervical ganglion of the dog. ARMOUR, J. A. . 103

Neurons of the bed nucleus of the stria terminalis: A Golgi study in the rat. McDONALD, A. J. 111

Effects of yohimbine and tolazoline on isoproterenol and angiotensin II-induced water intake in rats. FREGLY, M. J., N. E. ROWLAND and J. E. GREENLEAF 121

Effects of brainstem lesions on tonic immobility in the rabbit (*Oryctolagus cuniculus*). BRAUN, C. M. J. and R. T. PIVIK 127

Distal infrapyramidal and longitudinal mossy fibers at a midtemporal hippocampal level. WEST, J. R. 137

Effects of discrete lesions of the sexually dimorphic nucleus of the preoptic area or other medial preoptic regions on the sexual behavior of male rats. ARENDASH, G. W. and R. A. GORSKI .. 147

Selective noradrenergic denervation and ^{3}H-prazosin binding sites in rat neocortex. READER, T. A. and R. BRIÈRE 155

BRIEF COMMUNICATIONS

α- and β-Adrenergic binding sites in sheep cerebral cortex: Characterisation, effects of photoperiod and treatment with estrogen/progesterone. HERDON, H. J., M. WILKINSON and M. O. MADANI 159

Distribution of angiotensinogen in Brattleboro rat brain. HAWKINS, R. L. and M. P. PRINTZ . 163

BRAIN RESEARCH BULLETIN

VOLUME 10 NUMBER 2 FEBRUARY 1983

CONTENTS

Monoamine distribution in primate brain V. Monoaminergic nuclei: Anatomy, pathways and local organization. FELTEN, D. L. and J. R. SLADEK, JR. 171–286

BRAIN RESEARCH BULLETIN

VOLUME 10 NUMBER 3 MARCH 1983

CONTENTS

Glutamate uptake, glutamate decarboxylase and choline acetyltransferase in subcortical areas after sensorimotor cortical ablations in the cat. NIEOULLON, A. and N. DUSTICIER 287

Binding of angiotensins to rat brain tissue: Structure activity relationship. TONNAER, J. A. D. M., G. M. H. ENGELS, K. VOSHART, V. M. WIEGANT and W. DE JONG 295

Benzodiazepine receptors in fish brain: [^{3}H]-Flunitrazepam binding and modulatory effects of GABA in rainbow trout. WILKINSON, M., D. A. WILKINSON, I. KHAN and L. W. CRIM 301

Effects of morphine on body temperature of squirrel monkeys of various ages. CLARK, S. M., M. T. MURPHY, J. M. LIPTON and W. G. CLARK 305

Hypothalamic projection to the lateral septum in the guinea pig. An HRP study. POULAIN, P. .. 309

A microcomputer controlled system for monitoring multiple voltammetric electrodes in vivo. BLAKELY, R. D. and R. C. DUVARNEY 315

Catecholamine histofluorescence in the paraventricular hypothalamus of rats made hyperphagic by parasagittal knife cuts. CLAVIER, R. M., J. W. CHAMBERS and D. V. COSCINA .. 321

Effect of acute administration of isoproterenol and angiotensin II, separately and in combination, on water intake and blood pressure of rats. FREGLY, M. J., R. M. THREATTE, C. C. BARNEY and M. J. KATOVICH 327

Effect of hippocampal lesions produced by intracerebroventricular kainic acid on alcohol drinking in the rat. MYERS, R. D., H. S. SWARTZWELDER and W. HOLAHAN 333

Role of serotonin in estrogen-progesterone induced luteinizing hormone release in ovariectomized rats. IYENGAR, S. and J. RABII 339

Brainstem distribution of neurons with efferent projections in the cervical vagus of the dog. CHERNICKY, C. L., K. L. BARNES, C. M. FERRARIO and J. P. CONOMY 345

Neural regulation of the ovary: Evidence for hypothalamic asymmetry in endocrine control. NANCE, D. M., J. P. WHITE and W. H. MOGER 353

Iontophoretic investigation of identified SFO angiotensin responsive neurons firing in relation to blood pressure changes. NICOLAIDIS, S., S. ISHIBASHI, B. GUEGUEN, S. N. THORNTON and R. DE BEAUREPAIRE 357

Cholinergic projection sites of the nucleus of tractus diagonalis. JACOBOWITZ, D. M. and G. J. CREED 365

Bovine pancreatic polypeptide-like immunoreactive nerves in the rat major cerebral arteries. KOBAYASHI, S., J. A. OLSCHOWKA and D. M. JACOBOWITZ 373

Neuropathic changes associated with insulin treatment of diabetic rats: Electron microscopic and morphometric analysis. MANDELBAUM, J. A., D. L. FELTEN, S. G. WESTFALL, G. E. NEWLIN and R. G. PETERSON 377

Contents continued

Interhemispheric nigrostriatal projections in the rat: Bifurcating nigral projections and loci of crossing in the diencephalon. PRITZEL, M., M. SARTER, S. MORGAN and J. P. HUSTON ... 385

Two distinct events underlie the MgATP-stimulated release of luteinizing hormone releasing hormone from isolated hypothalamic granules. BURROWS, G. H. and A. BARNEA 391

Indoleamine and catecholamine concentrations in the mid-term human fetal brain. GILMORE, D. P. and C. A. WILSON 395

Anxiolytics block excessive grooming behavior induced by $ACTH_{1-24}$ and bombesin. CRAWLEY, J. N. and T. W. MOODY 399

BRIEF COMMUNICATIONS

A simple inexpensive and reliable nanoliter syringe. SAPER, C. B. 403

A mechanism of carbamazepine-analgesia as shown by bradykinin-induced trigeminal pain. SATOH, M. and F. W. FOONG 407

Immediate prolactin release after pericommissural deafferentation in behaving male rats. COLOMBO, J. A. and S. I. RITTERMAN 411

Distribution of glycine, GABA, aspartate and glutamate in the rat spinal cord. PATRICK, J. T., W. J. McBRIDE and D. L. FELTEN 415

BRAIN RESEARCH BULLETIN

VOLUME 10 NUMBER 4 APRIL 1983

CONTENTS

Putative amino acid neurotransmitters and the nucleus dorsomedialis thalamus-prefrontal cortex pathway in the rat. PEINADO, J. M., J. A. GOMEZ-CAPILLA, F. MORA and C. OSORIO 421

Pre- and postsynaptic neurochemical alterations following estrogen-induced striatal dopamine hypo- and hypersensitivity. GORDON, J. H. and K. O. PERRY 425

Origin of cingulate cortex cholinergic innervation in the rat. SIKES, R. W., Z. GOTTESFELD and J. F. DEFRANCE 429

Choline acetyltransferase activity in the nucleus tractus solitarius: Regulation by the afferent vagus nerve. HELKE, C. J., G. E. HANDELMANN and D. M. JACOBOWITZ 433

Effects of electrical stimulation on acetylcholine synthesis in cat caudate nucleus. HOWARD, S. G. and E. GARCIA-RILL 437

Gastric mucosal damage induced by lateral hypothalamic lesions in rats: The potential contribution of bile. GRIJALVA, C. V., M. G. TORDOFF, P. J. GEISELMAN and D. NOVIN 441

Effects of 5,7-dihydroxytryptamine on HRP retrograde transport from hippocampus to midbrain raphe nuclei in the rat. ZHOU, F. C. and E. C. AZMITIA 445

Effects of noradrenaline applied iontophoretically on rat superior collicular neurons. SATO, H. and Y. KAYAMA 453

Development of the serotonergic system in the rat embryo: An immunocytochemical study. WALLACE, J. A. and J. M. LAUDER 459

Catecholamine inputs to the nucleus tractus solitarius. HEALY, D. P. and J. Y. JEW 481

Action of estrogen and mechanical vaginocervical stimulation on the membrane excitability of hypothalamic and midbrain neurons. HASKINS, J. T. and R. L. MOSS 489

Cytoarchitecture of the nucleus of the lateral olfactory tract: A Golgi study in the rat. MCDONALD, A. J. 497

Nucleus accumbens inhibits specific motor but not nonspecific classically conditioned responses. WILSON, W. J. 505

Projections from the pericruciate cortex to the nucleus of Darkschewitsch and other structures at the mesodiencephalic junction in the cat. NAKAMURA, Y., Y. KITAO and S. OKOYAMA 517

Acute injections of opiate peptides into the rat cerebral ventricle: A macrophage-like cellular response. SALAND, L. C., D. E. VAN EPPS, E. ORTIZ and A. SAMORA 523

The output organization of the substantia nigra in primate as revealed by a retrograde double labeling method. PARENT, A., A. MACKEY, Y. SMITH and R. BOUCHER 529

Prolactin increases the activity of tuberoinfundibular and nigroneostriatal dopamine neurons: Prolactin antiserum inhibits the haloperidol-induced increases in dopamine synthesis rates in median eminence and striatum of rats. VAN LOON, G. R., A. SHUM, S. R. GEORGE and S. H. SHIN 539

Contents continued

Neuropathological studies of experimental toxocariasis in lead exposed mice. SUMMERS, B., R. H. CYPESS, Z. S. DOLINSKY, R. G. BURRIGHT and P. J. DONOVICK 547

Ultrastructure of HRP-labelled neurons: A comparison of two sensitive techniques. MAWE, G. M., J. C. BRESNAHAN and M. S. BEATTIE 551

Circadian pineal modulation of pituitary effect on murine corticosterone *in vitro*. SÁNCHEZ DE LA PEÑA, S., F. HALBERG, F. UNGAR, E. HAUS, D. KALATUA, L. E. SCHEVING, E. SÁNCHEZ and P. VECSEI 559

Model studies for brain dialysis. JOHNSON, R. D. and J. B. JUSTICE 567

BRIEF COMMUNICATION

A dual moveable stimulating electrode and its application to the behavioral version of the collision test. MILIARESSIS, E. and L. PHILIPPE 573

ANNOUNCEMENTS 579

BRAIN RESEARCH BULLETIN

VOLUME 10 NUMBER 5 MAY 1983

CONTENTS

Subcortical auditory and somatosensory afferents to hamster superior colliculus.
VAN BUSKIRK, R. L. 583

Acetylcholinesterase changes in the central nervous system of mice during the development of morphine tolerance addiction and withdrawal.
MOHANAKUMAR, K. P. and P. P. SOOD 589

Brain protein and messenger RNA identification in the same cell.
GRIFFIN, W. S. T., M. ALEJOS, G. NILAVER and M. R. MORRISON 597

Stimulation of neutral, magnesium-stimulated sphingomyelinase activity in the neurohypophysis of the rat by hypertonic saline ingestion.
GUY, N. C., J. T. R. CLARKE, M. W. SPENCE and H. W. COOK 603

Convergence of basolateral amygdaloid and mediodorsal thalamic projections in different areas of the frontal cortex in the rat.
SARTER, M. and H. J. MARKOWITSCH 607

Purification of a bioactive FSH-releasing factor (FSHRF).
MIZUNUMA, H., W. K. SAMSQN, M. D. LUMPKIN, J. H. MOLTZ, C. P. FAWCETT and S. M. McCANN 623

Fine structural changes in cat L7 ventral horn neurones after chronic sub LD50 DFP.
SIKORA-VANMETER, K. C., W. G. VANMETER, J. WILLETTS and P. A. GRIEVE 631

Uptake of serotonin and norepinephrine in hypothalamic and limbic brain regions during the estrous cycle and the effect of neurotoxin lesions on estrous cyclicity.
MEYER, D. C., J. SINGH and A. E. JIMENEZ 639

Lesions of the paraventricular nucleus area of the hypothalamus disrupt the suprachiasmatic→spinal cord circuit in the melatonin rhythm generating system.
KLEIN, D. C., R. SMOOT, J. L. WELLER, S. HIGA, S. P. MARKEY, G. J. CREED and D. M. JACOBOWITZ 647

Distribution of the VIP-like immunoreactive neurons in the cat central nervous system.
OBATA-TSUTO, H. L., H. OKAMURA, T. TSUTO, H. TERUBAYASHI, K. FUKUI, N. YANAIHARA and Y. IBATA 653

Analysis of the thermolytic action of ICV neurotensin in the rat at different ambient temperatures.
LEE, T. F. and R. D. MYERS 661

Serum-free medium for cultures of the postnatal mouse cerebellum: Only insulin is essential.
HUCK, S. 667

"Epileptic" brain damage in rats induced by sustained electrical stimulation of the perforant path. I. Acute electrophysiological and light microscopic studies.
SLOVITER, R. S. 675

Contents continued

"Epileptic" brain damage in rats induced by sustained electrical stimulation of the perforant path. II. Ultrastructural analysis of acute hippocampal pathology.
OLNEY, J. W., T. DEGUBAREFF and R. S. SLOVITER 699

BRIEF COMMUNICATIONS

A temperature controller for *in vitro* recording chambers.
ROSE, G. 713

Retinohypothalamic pathway in the dove demonstrated by anterograde HRP.
COOPER, M. L., G. E. PICKARD and R. SILVER 715

The superior colliculus simultaneously modifies the responses of the lateral geniculate cells and of the oculomotor nuclei.
MOLOTCHNIKOFF, S., C. CASANOVA, C. LAFERRIERE and D. DELAUNAIS 719

A rabbit head holder for attachment to a conventional stereotaxic machine.
DENNIS, B. J., A. P. DODMAN and D. I. B. KERR 723

Naloxone fails to block substance P-induced excitation of spinal nociceptive units.
HENRY, J. L. 727

ANNOUNCEMENTS 731

BRAIN RESEARCH BULLETIN

VOLUME 10 NUMBER 6 JUNE 1983

CONTENTS

17-α-estradiol and 17-β-estradiol in hippocampus.
FOY, M. R. and T. J. TEYLER 735

Synaptic interactions in the GABA system during postnatal development in retina.
MADTES, P. C., JR. and D. A. REDBURN 741

An HRP study of the brainstem afferents to the accessory abducens region and dorsolateral pons in rabbit: Implications for the conditioned nictitating membrane response.
DESMOND, J. E., M. E. ROSENFIELD and J. W. MOORE 747

A supratrigeminal region implicated in the classically conditioned nictitating membrane response.
DESMOND, J. E. and J. W. MOORE 765

The islands of Calleja complex of rat basal forebrain II: Connections of medium and large sized cells.
FALLON, J. H. 775

Locus coeruleus stimulation potentiates local inhibitory processes in rat cerebellum.
MOISES, H. C., B. D. WATERHOUSE and D. J. WOODWARD 795

Heterotopic interhemispheric cortical connections in the rat.
MARKOWITSCH, H. J. and W. O. GULDIN 805

Response of rat superior salivatory units to chorda tympani stimulation.
EISENMAN, J. S. 811

Pattern reversal visual evoked potentials in awake rats.
BOYES, W. K. and R. S. DYER 817

Hypothermia and chloropent anesthesia differentially affect the flash evoked potentials of hooded rats.
DYER, R. S. and W. K. BOYES 825

Unit-activity in the central amygdalar nucleus of rats in response to immobilization—stress.
HENKE, P. G. 833

Permanent alterations in the rat spinal cord following prenatal exposure to N-ethyl-N-nitrosourea.
HOULE, J. D. and G. D. DAS 839

Histochemical observations on rodent brain melanin.
BARDEN, H. and S. LEVINE 847

BRIEF COMMUNICATIONS

A slice chamber for intracellular and extracellular recording during continuous perfusion.
KELSO, S. R., D. O. NELSON, N. L. SILVA and J. A. BOULANT 853

A chronic headholder minimizing facial obstructions.
McHAFFIE, J. G. and B. E. STEIN 859

Contents continued

Chemically modified electrode for *in vivo* monitoring of brain catecholamines.
BLAHA, C. D. and R. F. LANE 861

A simpler retractable wire knife.
CHAMBERS, J. W. 865

INDEX TO VOLUME 10 871